

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	20061	"graphical user interface" and (search\$3 or retriev\$3 or quer\$3 or request\$3) and ((generat\$3 or creat\$3) with (web near2 (page\$1 or link\$1)) page or link\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 17:22
L2	12474	1 and (user near2 select\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 16:30
L3	2280	"graphical user interface" and ((search\$3 or retriev\$3 or quer\$3 or request\$3) with (assets or procedure\$1)) and ((generat\$3 or creat\$3) with (web near2 (page\$1 or link\$1)) page or link\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 16:31
L4	315	"graphical user interface" and (((search\$3 or retriev\$3 or quer\$3 or request\$3) with (assets or procedure\$1)) same ((generat\$3 or creat\$3) with (web near2 (page\$1 or link\$1)) page or link\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 16:32
L5	90	4 and "707"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 16:32
L6	26	4 and "707"/3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 16:33
L7	28	("graphical user interface" or GUI or (interactive near4 interface\$1)) and (((generat\$3 or creat\$3) near4 (template\$1 or page\$1)) same (user near2 select\$4) same (trie or tree or hierarchial))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 17:26
L8	0	7 and "705"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 17:24
L9	32	("graphical user interface" or GUI or (interactive near4 interface\$1)) and (((generat\$3 or creat\$3) near4 (template\$1 or page\$1 or web-pabe or site\$1)) same (user near2 select\$4) same (trie or tree or hierarchial))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 17:27

L10	69	((generat\$3 or creat\$3) near4 (template\$1 or page\$1 or web-pabe or site\$1)) same (user near2 select\$4) same (trie or tree or hierarchial))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 17:33
L11	8	10 and "705"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 17:27
L12	606	((generat\$3 or creat\$3) near4 (template\$1 or page\$1 or web-pabe or site\$1)) same (user near2 select\$4)) and "705"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 17:32
L13	890	((generat\$3 or creat\$3) with (template\$1 or page\$1 or web-pabe or site\$1)) same (user near2 select\$4)) and "705"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 17:56
L14	210	13 and (trie or tree or hierarchial)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 17:33
L15	274	((generat\$3 or creat\$3) with (template\$1 or page\$1 or web-pabe or site\$1)) same (user near2 select\$4)) and insurance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 17:57
L16	141	((generat\$3 or creat\$3) with (template\$1 or page\$1 or web-pabe or site\$1)) same (user near2 select\$4)) and insurance and "705"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 17:57
L17	893	((generat\$3 or creat\$3) with (template\$1 or ((insurance or business\$2) near2 contract\$1) or page\$1 or web-pabe or site\$1)) same (user near2 select\$4)) and "705"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 18:01
L18	341	((generat\$3 or creat\$3) with (template\$1 or ((insurance or business\$2) near2 contract\$1))) same (user near2 select\$4)) and "705"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 18:00
L19	106	((generat\$3 or creat\$3) with (template\$1 or ((insurance or business\$2) near2 contract\$1)) with (user near2 select\$4))) and "705"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 18:01

L20	17	((generat\$3 or creat\$3) with (template\$1 or ((insurance or business\$2) near2 contract\$1) or page\$1 or web-pabe or site\$1)) same (user near2 select\$4) same (tree or trie or hierarchial)) and "705"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 18:02
L21	105	((generat\$3 or creat\$3) with (template\$1 or ((insurance or business\$2) near2 contract\$1) or page\$1 or web-pabe or site\$1)) same (user near2 select\$4) same (tree or trie or hierarchial))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 18:03
L22	108	((generat\$3 or creat\$3) with (template\$1 or ((insurance or business\$2) near2 contract\$1) or summary or page\$1 or web-pabe or site\$1)) same (user near2 select\$4) same (tree or trie or hierarchial))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 18:05
L23	18	22 and "705"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 18:04
L24	49	((generat\$3 or creat\$3) with (template\$1 or ((insurance or business\$2) near2 contract\$1) or (page near2 summary) or web-page or site\$1)) same (user near2 select\$4) same (tree or trie or hierarchial))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 18:14
L25	49	((generat\$3 or creat\$3) with (template\$1 or ((insurance or house or business\$2) near2 contract\$1) or memorandum or (page near2 summary) or web-page or site\$1)) same (user near2 select\$4) same (tree or trie or hierarchial))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 18:08
L26	12	25 and @ad<"19991017"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 18:09
L27	34	((generat\$3 or creat\$3) with (template\$1 or ((insurance or business\$2) near2 (summary or contract\$1)))) same (user near2 select\$4) same (tree or trie or hierarchial))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 18:18

L28	0	((generat\$3 or creat\$3) with (((insurance or business\$2) near2 (summary or contract\$1)))) same (user near2 select\$4) same (tree or trie or hierarchial))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 18:18
L29	6	((generat\$3 or creat\$3) with (summary or contract\$1)) same (user near2 select\$4) same (tree or trie or hierarchial))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 18:22
L30	96	((summary or contract\$1) same ((user near2 select\$4) or "GUI") same (tree or trie or hierarchial))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 18:23
L31	36	((generat\$3 or creat\$3) near5 (summary or report\$1 or contract\$1)) same ((user near2 select\$4) or "GUI") same (tree or trie or hierarchial))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 18:39
L32	37	("graphical user interface" or "GUI") and ((generat\$3 or creat\$3) with (insurance near2 (contract\$1 or report\$1 or template\$1 or form\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 18:42
L33	22	("graphical user interface" or "GUI") and ((generat\$3 or creat\$3) with (insurance near2 (contract\$1 or report\$1 or template\$1 or form\$1))) and ((drop-down near2 menu) or (user near2 select\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 18:43
L34	120	("graphical user interface" or "GUI") and ((generat\$3 or creat\$3) with ((insurance or house or business\$2) near2 (contract\$1 or report\$1 or template\$1 or form\$1))) and ((drop-down near2 menu) or (user near2 select\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 18:46
L35	61	34 and "705"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 18:46
L36	12	("graphical user interface" or "GUI") and ((generat\$3 or creat\$3) with ((insurance or house or business\$2) near2 (contract\$1 or report\$1 or template\$1 or form\$1))) same ((drop-down near2 menu) or (user near2 select\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 18:47

L37	8803	((templat\$2 or form\$1) with ((drop-down near2 menu) or (user near2 select\$4)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 18:48
L38	163	((templat\$2 or form\$1) with ((drop-down near2 menu) or (user near2 select\$4))) same (tree\$1 or trie or hierarchial)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 18:55
L39	16	38 and "705"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 18:50
L40	402	"705"/\$.ccls. and ((house or insurance) near2 contract\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 18:51
L41	7	"705"/\$.ccls. and (((house or insurance) near2 contract\$1) same (user near2 select\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 18:54
L42	0	(trie or tree or hierarchial) same (((house or insurance) near2 contract\$1) same (user near2 select\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 18:54
L43	163	((templat\$2 or form\$1) with ((drop-down near2 menu) or (user near2 select\$4))) same (tree\$1 or trie or hierarchial)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 18:57
L44	16	43 and "705"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 18:56
L45	0	((user near2 selet\$3) same (creat\$3 near2 (report or template\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 18:58
L46	0	((user near2 selet\$3) same (generat\$3 near2 (report or template\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 18:58

L47	961	((user near2 select\$3) same (generat\$3 near2 (report or template\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 18:59
L48	14	((user near2 select\$3) same (generat\$3 near2 (report or template\$1)) same (hierarchial or tree\$1 or trie))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 18:59
L49	14	((user near2 select\$3) or (drop-down near2 menu)) same (generat\$3 near2 (report or template\$1)) same (hierarchial or tree\$1 or trie))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 19:01
L50	56	((user near2 select\$3) near2 box\$2) or (drop-down near2 menu)) and ((generat\$3 or creat\$3) near5 (report or template\$1 or form\$1 or contract\$1)) same (hierarchial or tree\$1 or trie)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 19:11
L51	23	((user near2 select\$3 near2 (item\$1 or (predefined near2 item\$1)))) or (drop-down near2 menu)) and ((generat\$3 or creat\$3) near5 (report or template\$1 or form\$1 or contract\$1)) same (hierarchial or tree\$1 or trie)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 19:16
L52	44	((generat\$3 or creat\$3) near3 (template\$1 or page\$1 or form\$1)) same ((standard or master) near2 (template\$3 or form\$1 or page\$1)) same (user near2 select\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 19:20
L53	6	52 and (hierarchial or tree or trie)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 19:18
L54	0	((generat\$3 or creat\$3) near3 (template\$1 or page\$1 or form\$1)) same ((standard or master) near2 (template\$3 or form\$1 or page\$1)) same ((user near2 select\$3) with (attribut\$2 or parameter\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 19:21
L55	0	((generat\$3 or creat\$3) near3 (template\$1 or page\$1 or form\$1)) same ((standard or master) near2 (template\$3 or form\$1 or page\$1)) same ((user near2 select\$3) with (attribut\$2 or parameter\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 19:21

L56	1	((generat\$3 or creat\$3) near3 (template\$1 or page\$1 or form\$1 or contract\$1 or report\$1)) same ((standard or master) near2 (template\$3 or form\$1 or page\$1 or contract\$1 or report\$1)) same ((user near2 select\$3) with (attribut\$2 or parameter\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 19:22
L57	1	((generat\$3 or summariz\$3 or creat\$3) near3 (template\$1 or page\$1 or form\$1 or contract\$1 or report\$1)) same ((standard or master) near2 (template\$3 or form\$1 or page\$1 or contract\$1 or report\$1)) same ((user near2 select\$3) with (attribut\$2 or parameter\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 19:23
L58	7	((generat\$3 or summariz\$3 or creat\$3) near3 (template\$1 or page\$1 or form\$1 or contract\$1 or report\$1)) same ((standard or master) near2 (template\$3 or form\$1 or page\$1 or contract\$1 or report\$1)) same (select\$3 near3 (attribut\$2 or parameter\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 19:28
L59	11	((generat\$3 or summariz\$3 or creat\$3) near3 (template\$1 or page\$1 or form\$1 or contract\$1 or report\$1)) same ((standard or master) near2 (template\$3 or form\$1 or page\$1 or contract\$1 or report\$1)) same (select\$3 with (attribut\$2 or parameter\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 19:31
L60	0	((generat\$3 or summariz\$3 or creat\$3) near3 (electronic near2 (page\$1 or form\$1 or contract\$1 or report\$1))) same ((standard or master) near2 (template\$3 or form\$1 or page\$1 or contract\$1 or report\$1)) same (select\$3 with (attribut\$2 or parameter\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 19:32
L61	0	((generat\$3 or summariz\$3 or creat\$3) near3 (electronic near2 (page\$1 or form\$1 or contract\$1 or report\$1))) same ((standard or master) near2 (template\$3 or form\$1 or page\$1 or contract\$1 or report\$1)) same (select\$3 with (attribut\$2 or parameter\$1 or item\$1 or object\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 19:32

L62	32	((generat\$3 or summariz\$3 or creat\$3) near3 (page\$1 or form\$1 or contract\$1 or report\$1)) same ((standard or master) near2 (template\$3 or form\$1 or page\$1 or contract\$1 or report\$1)) same (select\$3 with (attribut\$2 or parameter\$1 or item\$1 or object\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 19:40
L63	1	62 and (hierarchial or tree or trie)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 19:33
L64	46	((((generat\$3 or summariz\$3 or creat\$3) near3 (page\$1 or form\$1 or contract\$1 or report\$1)) same ((standard or master) near2 (template\$3 or form\$1 or page\$1 or contract\$1 or report\$1)))) and (select\$3 with (attribut\$2 or parameter\$1 or item\$1 or object\$1) with link\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 19:47
L65	22	(select\$3 with (generat\$3 near2 (report\$1 or summary or contract\$1))) same (hierarchial or tree or trie)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 19:46
L66	201	((generat\$3 or creat\$3) near4 (report\$1 or page\$1 or summary or contract\$1)) with (select\$3 near5 (attribut\$1 or parameter\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 19:48
L67	0	66 and hierarchial	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 19:48
L68	26	66 and (hierarchial or tree or trie)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 19:49